Indoor Siren

CROW



A wireless, battery-powered indoor siren designed to deliver immediate alerts and ensure a rapid response to intrusion events.

CROW

Crow - Where Experience meets Innovation since 1977

Leveraging decades of expertise and advanced technology, Crow is redefining security for today and tomorrow.

Since 1977, the Crow Group has delivered intelligent, high-performance solutions for residential and commercial environments offering a comprehensive portfolio of cutting-edge control panels and versatile wired and wireless peripherals that make homes and businesses safer and smarter.

Our solutions serve customers worldwide through a robust global network of distributors, professional installers and central monitoring stations.

Building on its long-standing leadership in security, Crow now combines deep expertise in artificial intelligence, video analytics and cloud technologies to offer next-generation solutions for Security, Monitoring, and Telecare.

CROW

CROW's Indoor Siren

The Indoor Siren is a slim and advanced wireless sounder that amplifies your alarm signals throughout the interior of your premises. Ideal for residential and light commercial applications, it is also suited for environments where outdoor sirens are not permitted.

Indoor Siren

CROW

Wall-mounted for optimal coverage, the Indoor Siren activates a bright LED indicator and emits a powerful audible alarm to instantly signal intrusion events.

Indoor Siren

CROW

With its clean and minimalist design, the Indoor Siren integrates seamlessly into any interior from cozy bedrooms to modern living spaces.

Indoor Siren

CROW

Loud Alarm
High-decibel alert

Communication Protocol
Freewave2™ two-way ISM (GFSK)
with 5 frequencies and LBT

Battery Operated
Fully wireless, battery-powered



Protection
Tamper and Supervision Protected

Low Consumption
Ultra low current consumption

Wide Range
Up to 1,250m transmission range in open space

Certified Performance
CE, EN50131 Grade 2 Class IV

Indoor Siren

CROW

Identification
Unique ID serial number – 32 bit

Communication Band
ISM GFSK / OQPSK DSSS
868 - 869 MHz / 902 - 928 MHz
Frequency And Output Power
Accurding To Local Regulations

Communication Protocol
Freewave2™ two-way
ISM GFSK with 5 frequencies & LBT

Sound Pressure Level
More than 90 dB(A) (at 1 meter)

Siren Tone
yelp

Indications
LED during transmission (Arm/Disarm)
and Activation

Frequency Range
2700 ± 500 Hz

Flash Light
Power LED (90 Lumens)

Siren Alarm Period
Programmable

Arm/Disarm Indication
White LED indications

Supervision
Sync signal every 1 min

Tamper Switch
Normaly Closed

Current Consumption
Standby: 60uA, Receive mode ~26 mA
Transmit power <14 dBm

Range
1250m open space

Power Supply
2 Lithium batteries 1.5V AA Type

Operating Temperature
-10°C to +55°C
(32 °F - 122 °F)

Battery Life
Up to 5 years

Compliance
EN50131 Grade 2 Class IV

Integrations and Partnerships

Crow empowers organizations to develop fully integrated security solutions by leveraging advanced systems that enhance IT infrastructure and maximize the potential of Crow products.

With a robust **API interface**, businesses can efficiently manage thousands of Crow security systems, seamlessly embed functionality into their own applications, and integrate smoothly with CRM, billing, and other third-party platforms.

Real-time updates from the **Crow Cloud** keep software and clients informed and responsive, providing unparalleled control and flexibility across the entire security ecosystem.

Discover how partnering with Crow can revolutionize the deployment of security and automation solutions.

Contact us to learn more

www.crow-protect.com
sales@crow-protect.com
support@crow-protect.com

Specifications, features and availability are subject to change without prior notice.